



TERMINALS




LX 1236 TWIN QUICK CONNECT



LX 1260 HORSE SHOE (NOT RECOMMENDED)




LX 1262 2 BA FLAT TERMINAL



LX 1264 5/32 BSW FLAT TERMINAL




LX 1264-1 5/32 BSW 45° TERMINAL




LX 1295 QUICK CONNECT



GBTP BRASS TERMINAL POST




LCEP 4mm FEMALE TERMINAL POST



LCES 5mm MALE TERMINAL POST




GLANDS and NUTS



GBG 2 3/8BSP 1/2" LONG  
GBG 3 3/8BSP 1" LONG



GBG 4 7/16" 26TPI 1/2" LONG  
GBG 5 1/2" 26TPI 1/2" LONG  
GBG 6 1/2" 26TPI 1" LONG  
GBG 8 1/2" 26TPI 3/4" LONG




GCG 1 3/8" BSW 1/2" LONG  
GCG 2 1/2" NF 1/2" LONG




GBN 1 (ZBA 4) 15/16 AF 3/8 BSP  
GBN 2 13/16 AF 3/8 BSP  
GBN 3 7/16" 26TPI  
GBN 4 1/2" 26TPI  
GBN 5 1/2 NF  
GBN 6 7/16 BSF


GASKETS




ZGF 4 1" BSP SQUARE SECTION RUBBER GASKET




ZGF 4A 1" BSP FIBRE GASKET




ZGF 3 1 1/4" BSP FIBRE GASKET




ZGF 2 2" BSP FIBRE GASKET




ZGF 5 L SECTION GASKET FOR ALL BOLT ON




ZGF 5B EXTENDED L SECTION GASKET FOR ALL BOLT ON



ZGF 6 48mm OD x 37mm ID GASKET FOR 1 9/16" URN BOSS. EDPM MATERIAL



ZGF 6S 45mm OD x 39mm ID GASKET FOR 1 9/16" URN BOSS. SILICON MATERIAL



ZGF 7 29mm OD x 17.5mm ID FIBRE GASKET FOR 3/8 BSP GLAND




---

## ELEMENT ACCESSORIES


---

<b>ELS 3</b>	ELEMENT SPANNER
<b>ELS 4</b>	ELEMENT SPANNER
<b>ZCO 24</b>	URN ELEMENT CUT OUT
<b>ZFB 4S</b>	SET OF 4 STAINLESS STEEL BOLTS
<b>ZKBL 3</b>	LOCKRING FOR KB 15
<b>ZWA 12</b>	ANODE


# THERMOSTATS



**ZTE 205**  
THERMOSTAT  
TEMP. SET AT 96 C



**ZTE 170**  
THERMOSTAT  
TEMP. SET AT 77 C



**ZTEMP 1**  
THERMOSTAT  
TEMPERATURE SET AT 77 C



**ZT 7**  
STEM TYPE THERMOSTAT  
7" LONG x 6mm DIAMETER  
20 - 80 DEG C




**ZTW 7** THERMOWELL 7" LONG  
**ZTW 10** THERMOWELL 10" LONG




---

# THERMOSTATS

---



ZCT 40 0 - 40 C  
ZCT 110 30 - 110 C  
ZCT 320 50 - 320 C  
CAPILLARY THERMOSTATS



ZTYJ 633  
SIMMERSTAT COMPLETE  
WITH KNOB.

ZTYJK  
KNOB TO SUIT ZTYJ 6333